

+86 13686491257 (tel: +86 13686491257)

ytfcapacitor.com (mailto:ytfcapacitor.com)

Language [f](#) [t](#) [g+](#) <https://www.youtube.com/>



| | | | |
|-------------------------------|---|---------------------------------------|-------------------------------|
| HOME (/) | PRODUCT (/CAPACITORS-AND-RESISTORS-PRODRCTS/) | ABOUT US (/ABOUT-US/) | NEWS (/NEWS/) |
| CASE (/CASE/) | CONTACT US (/CONTACT-US/) | | |



TQ在线客服

Elle Mao (skype: sale1jmytchat)
Selina Jiang (skype: sale3@jmy-elec.com/chat)
Adcock Tang (skype: sale2@jmy-elec.com/chat)
James Hou

☎ 免费电话

TQ客服系统

Home \ (/) Product \ (/Capacitors-and-resistors-prodrcts/) Zov Voltage Varistor

China mov varistor varistor supplier can provide free sample and ODM/OEM services.Electronics component varistor zov varistor 14D561K



Electronics Component Varistor Zov Varistor 14D561K

electronics component varistor zov varistor 14D zov varistor 14D561K

Product Specification:

| | |
|---------------------------|--------------|
| Resistance : | 0.01 -100K |
| Resistance Tolerance : | ±10% |
| Rated Power : | 0.01w~1.2w |
| Temperature Coefficient : | 250ppm |
| Operating Temperature : | -55℃~200℃ |
| Varistor Voltage : | 560(504~616) |
| Clamping Voltage : | 350 |

[Inquiry Now](#)

[Product Details](#)


[Download](#)

Electronics Component Varistor Zov Varistor 14D561K



Characteristics

- Characteristics
- small figure, large capacitance and energy
- Exthoyline resine-enveloped
- response time < 25ns
- using ambiend temperature: - 40 ℃~+85℃
- insulation resistance > 500M
- temperature coefficient of varistor voltage: -0.5%/℃
- chip diameter: 5.7.10.14.20.25.32.40.53mm
- allowable tolerance of varistor voltage: K ± 10%, L ± 15%



Product Inch

| Part No | Product Inch(mm) | | | |
|---------|------------------|------|------|------|
| | Dmax | Tmax | Lmin | F±1 |
| 05D | 7.5 | 6 | 20 | 5 |
| 07D | 9 | 6 | 20 | 5 |
| 10D | 14 | 8 | 25 | 7.5 |
| 14D | 17 | 12 | 25 | 7.5 |
| 20D | 25 | 12 | 25 | 10 |
| 25D | 30 | 12 | 25 | 12.5 |

| Part No | Product Inch(mm) | | | | | | | |
|---------|------------------|------|------|-----|-------|-------|-------|-------|
| | Dmax | Tmax | Lmin | F±1 | W±0.5 | t±0.1 | m±0.5 | n±0.3 |
| 32D | 39 | 14.5 | 25 | 25 | 7.0 | 0.5 | 3.8 | 3.4 |
| 40D | 46 | 15 | 25 | 25 | 7.0 | 0.5 | 3.8 | 3.4 |
| 50D | 56 | 16 | 16.5 | 25 | 8.0 | 0.5 | 3.8 | 3.4 |

(https://www.alibaba.com/product-detail/Free-Samples-High-Resistance-20D681K-ZOV_60217484824.html?spm=a271v.8028081.0.0.18513e5fgG9ROO)

Size Chart

Search



Product (/Products)

Aluminum Electrolytic Capacitor

(/Electrolytic-capacitor/)

Ceramic Capacitor (/Ceramic-capacitor/)

X2 Capacitor (/Mkp-x2-capacitor/)

CBB Film Capacitor (/Cbb-film-capacitor/)

Hot Product (/Products)

Wholesale High
Frequency Low ESR
Long life time
electrolytic capacitor
16V 470UF

(/y-series-capacitor/)



(/y-series-capacitor/)

November-18.2019

Golden Green General
Purpose 400V 10UF
Aluminum Electrolytic
Capacitor


(/y-series-capacitor/)



(/y-series-capacitor/)

November-18.2019

Contact Us (/Contact-us)




TEL:
+86 13686491257 (tel: +86
13686491257)


E-mail:
ytf@ytfcapacitor.com
(mailto: ytf@ytfcapacitor.com)

ADD:
211, Building 2, Guorun Industrial
Park, Zhonghua Road, Minzhi Street,
Longhua New District, Shenzhen,
Guangdong, China (/contact-us)

Size Chart



Specification



Applications

- * Transistor, diode, IC, thyristor or triac semiconductor protection.
- * Surge protection in consumer electronics.
- * Surge protection in industrial electronics.
- * Surge protection in electronic home appliances, gas and petroleum appliances.
- * Relay and electromagnetic valve surge absorption.

Product Function





ABOUT US (/ABOUT-US)

Shenzhen Jinmaoyuan Technology Co., Ltd. is a professional aluminum electrolytic capacitor manufacturer. "YTF capacitor" is our own brand. We will divide the YTF capacitor series according to the length of capacitor life. Our company also has a complete and scientific quality management system to ensure product quality.



©2017 RIGHT technology CO. LTD,all rights reserved

Categories (/Products)

- Aluminum Electrolytic Capacitor (/Electrolytic-capacitor/)
- Ceramic Capacitor (/Ceramic-capacitor/)
- X2 Capacitor (/Mkp-x2-capacitor/)
- CBB Film Capacitor (/Cbb-film-

USEFUL LINKS

- Product (/Capacitors-and-resistors-prodcts/)
- News (/News/)
- Contact Us (/Contact-us/)
- FAQs (/Faq/)
- About Us (/About-us/)
- Case (/Case/)
- Application (/Application/)
- Clients (/Clients/)

ATTENTION



Technology: (Http://www..com) | Sitemap (/Sitemap.html) LINK +